Government of Saskatchewan
Ministry of Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 7, June 20, 2013

For the Period June 11 to 17, 2013

Seeding is nearing completion in the province and producers now have 98 per cent of the 2013 crop in the ground, according to Saskatchewan Agriculture's weekly Crop Report. The five-year (2008-2012) average for this time of year is 89 per cent of acres seeded.

Regionally, 94 per cent of the crop is seeded in the southeast while the remaining regions all have 99 per cent of the crop seeded.

The majority of the province received significant rainfall which delayed field work and spraying operations. Many regions received more than two inches of rain while some northern regions are reporting almost four inches of rain.

Provincially, topsoil moisture on crop land is rated as 18 per cent surplus, 79 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as 10 per cent surplus, 85 per cent adequate and five per cent short.

Sixty-seven per cent of fall cereals, 57 per cent of spring cereals, 54 per cent of oilseeds and 62 per cent of pulses are at their normal stage of development for this time of year. The majority of crops are in fair to excellent condition. Some crops have been damaged due to flooding, wind and insects such as cutworms and flea beetles.

Farmers are busy finishing seeding, controlling weeds and getting ready for haying.

One year ago

Ninety-eight per cent of the 2012 crop had been seeded. The majority of the crops were at or behind normal development stages due to excess moisture and lack of warm weather.

Follow the 2013 Crop Report on Twitter @SKGovAg

Seeding Progress in SK Per cent seeded All Crops	
June 17/13	98
5 year avg. (2008-2012)	89
June 18/12	98
June 13/11	82
June 17/10	73
June 15/09	99
June 15/08	99

Seeding Progress by Crop District		
CD	June 17/13	June 18/12
1a	90	97
1b	98	95
2a	90	94
2b	98	98
3ase	98	98
3asw	96	99
3an	99	98
3bs	99	98
3bn	99	98
4a	100	98
4b	100	100
5a	100	91
5b	97	95
6a	99	99
6b	99	98
7a	99	98
7b	99	99
8a	99	97
8b	99	100
9ae	100	100
9aw	99	98
9b	99	98

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

SE SK Crop Development - June 17, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	0	65	35
Spring Cereals	1	42	57
Oilseeds	0	36	64
Pulse Crops	1	39	60

There has been little seeding progress for some producers in the region due to wet fields and poor drying conditions. There are indications that some producers will seed green feed and oats if fields dry up enough. Producers now have 94 per cent of the crop in the ground, up only one per cent from last week. The five-year (2008-2012) seeding average for this time of year is 83 per cent.

Although rainfall received over the weekend is delaying spraying operations, the rain was welcomed in some of the drier areas. The Carnduff area received 6 mm of rain last week, the Manor area 7 mm, the Stoughton and Wolseley areas 28 mm, the Whitewood area 33 mm, the Tantallon and Odessa areas 15 mm, the Broadview area 8 mm, the Weyburn area 50 mm, the Briercrest area 66 mm, the Indian Head area 45 mm, the Marquis area 39 mm, the Moose Jaw area 50 mm and the Radville area 10 mm. Since April 1, the Weyburn area has received the greatest amount of precipitation (175 mm).

Topsoil moisture conditions on cropland are rated as 15 per cent surplus, 84 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as 12 per cent surplus, 86 per cent adequate and two per cent short. CDs 2A and 2B are reporting that 17 per cent and 26 per cent, respectively, of the cropland has surplus topsoil moisture at this time; 27 per cent of the hay and pasture land in CD 2B has surplus moisture.

SK Crop Development - June 17, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	1	67	32
Spring Cereals	1	57	42
Oilseeds	1	54	45
Pulse Crops	1	62	37

Saskatchewan Crop Insurance Corporation – June 2013

Crop Insurance customers should note the following important dates:

Seeded Acreage Reports and Stored Grain Declarations must be submitted by June 25.

The deadline to submit Unseeded Acreage claims is also June 25. Claims must be registered with your local Crop Insurance office.

For honey producers enrolled in Crop Insurance, June 25 is the deadline to submit the Hive Reporting form and Stored Honey Report.

The deadline to seed green feed crops covered by forage insurance is June 30, with all establishment and gopher damage claims on green feed to be submitted by this date.

Crop damage in the region is mostly due to flooding, wind and insects such as flea beetles. There have been many reports of producers spraying for flea beetles in canola as economic thresholds have been reached in some northern areas of the region. For the most part crops are looking good and are developing quickly; however, some crops that were seeded late or were flooded are a slightly behind. Warm weather is now needed to help crops and pastures grow and to allow spraying operations to continue.

Farmers are busy finishing seeding, controlling weeds and getting ready for haying.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Seeding is essentially complete in the region with 99 per cent of the crop in the ground, up from 97 per cent last week. The five-year (2008-2012) seeding average for this time of year is 93 per cent.

SW SK Crop Development - June 17, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	1	65	34
Spring Cereals	1	67	32
Oilseeds	0	60	40
Pulse Crops	0	67	33

Rainfall received this past week was welcomed by most, although some areas now have localized flooding issues in fields and on access roads. Warm weather is now needed to help crops and pastures grow and to allow spraying operations to continue. The Bengough area received 37 mm of rainfall this past week, the Limerick area 70 mm, the Lisieux area 24 mm, the Lafleche area 34 mm, the Gravelbourg area 47 mm, the Coderre area 39 mm, the Eyebrow area 17 mm, the Central Butte area 21 mm, the Cadillac area 23 mm, the Vanguard area 13 mm, the Ponteix area 35 mm, the Webb area 20 mm, the Tyner area 29 mm, the Consul area 9 mm, the Maple Creek area 19 mm, the Hazlet area 17 mm and the Leader area 30 mm. The Bengough area has received the greatest amount of precipitation since April 1 at 219 mm.

Topsoil moisture for cropland is rated as eight per cent surplus, 87 per cent adequate and five per cent short. Hay land and pasture topsoil moisture is rated as 90 per cent adequate, nine per cent short and one per cent very short. CD 3BN is reporting that 16 per cent and 23 per cent, respectively, of cropland and hay and pasture land to be short topsoil moisture at this time.

Localized flooding, hail, wind, insects and lack of moisture have caused the most damage to crops this week. Some producers are spraying canola fields for cutworms and flea beetles as damage has been significant in some areas. Crop and hay growth has been slow and

uneven in some areas due to lack of heat and cool wet fields but overall they are in good condition. Weeds are rapidly growing and some producers are concerned they may not be able to spray fields on time due to wet conditions. There have been reports of leaf disease in some cereal fields but infection levels are low at this time.

Farmers are busy controlling weeds, hauling grain and getting ready for haying.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

EC SK Crop Development - June 17, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	1	76	23
Spring Cereals	0	59	41
Oilseeds	0	62	38
Pulse Crops	0	68	32

Seeding is wrapping up in the east-central region with 99 per cent of the crop seeded, up from 97 per cent last week. The five-year (2008-2012) average for this time of year is 87 per cent.

Varying amounts of rain fell last week, which was welcomed by most producers. The Humboldt area received the most rainfall this week (58 mm), bringing the total amount received since April 1 to 166 mm. The Abernethy area received 7 mm of rain, the Ituna area 29 mm, the Jedburgh area 3 mm, the Kelliher area 22 mm, the Raymore area 36 mm, the Kamsack area 15 mm, the Wynyard area 25 mm, the Pelly area 18 mm, the Quill Lake area 47 mm, the Kelvington area 23 mm, the Bethune area 21 mm, the Holdfast and Bradwell areas 48 mm and the Lumsden area 43 mm.

Cropland topsoil moisture is rated as seven per cent surplus, 87 per cent adequate and six per cent short. Hay land and pasture topsoil moisture is rated as five per cent surplus, 86 per cent adequate, eight per cent short and one per cent very short. Eleven per cent of cropland and 16 per cent of hay and pasture land are short moisture at this time in CD 5A.

Crop damage this week is due to localized flooding and insects such as flea beetles. Many crop reporters are indicating that weed pressure is high in some fields and there are concerns that they will not be able to control them on time due to wet fields and roads. Some producers have sprayed for flea beetles in canola as damage reached economic threshold. Plant growth is slow and uneven in some areas due to lack of warm weather but overall crops and hay land are in good condition.

Farmers are busy controlling weeds, getting ready for haying and hauling grain.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

Seeding progress is nearing completion with 99 per cent of the crop now in the ground. The five-year (2008-2012) average for this time of year is 97 per cent.

WC SK Crop Development - June 17, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	0	59	41
Spring Cereals	0	52	48
Oilseeds	0	60	40
Pulse Crops	1	62	37

Most of the region received some rainfall this week. The Tramping Lake area received 48 mm of rain, the Sonningdale area 38 mm, the Biggar area 36 mm, the Cando area 35 mm, the Harris and Perdue areas 34 mm and the Dinsmore and Kindersley areas 29 mm. Since April 1, the Major area has received the greatest amount of precipitation (106 mm).

Cropland topsoil moisture is rated as six per cent surplus, 90 per cent adequate and four per cent short. Likewise, hay land and pasture topsoil moisture is rated as six per cent surplus, 90 per cent adequate and four per cent short. CD 7A is reporting that nine per cent of cropland and 10 per cent of hay and pasture land to be short topsoil moisture.

There was localized flooding that caused crop damage in some areas of the region this week. Damage from winds and dry conditions were reported in other areas. There were a few reports of insect damage by flea beetles and cutworms to canola crops and some producers are spraying for them. Spraying has started in many areas when wind and rain allows. Crop growth is slow for the most part but crops are in good condition.

Farmers are busy finishing seeding, controlling weeds and rolling pulses.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Seeding is coming to a close with 99 per cent of the crop in the ground. The five-year (2008-2012) average for this time of year is 89 per cent of acres seeded.

NE SK Crop Development - June 17, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	6	65	29
Spring Cereals	1	59	40
Oilseeds	0	57	43
Pulse Crops	0	58	42

Large amounts of rain fell this week in most of the region. The Alvena area received 94 mm

of rain, the Codette area 75 mm, the Garrick area 72 mm, the Vonda and the Tisdale areas 70 mm, the Melfort area 68 mm, the Bruno and St. Benedict areas 66 mm, the Kinistino area 60 mm, and the Nipawin and Star City areas 52 mm. Since April 1, the Kinistino area has received the greatest amount of precipitation (159 mm).

Topsoil moisture conditions on cropland are rated as 59 per cent surplus and 41 per cent adequate. Hay land and pasture topsoil moisture is rated as 50 per cent surplus, 49 per cent adequate and one per cent short. CD 8B is reporting that although 36 per cent of hay and pasture lands have surplus moisture, three per cent are still short topsoil moisture at this time.

There are reports of crop damage this week from localized flooding. Although the moisture has been beneficial to crops in some areas, in others it has resulted in standing water, closed roads and spraying delays. Insect damage from flea beetles and cutworms were also reported in one area. Plant growth is slow and uneven in some areas due to lack of warm weather but overall crops and hay land are in good condition.

Farmers are waiting for drier weather to control weeds and check crop conditions.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Seeding is all but finished for the northwest with 99 per cent of seeding completed, up from 97 per cent last week. The five-year (2008-2012) average for this time of year is 97 per cent of acres seeded.

NW SK Crop Development - June 17, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	0	84	16
Spring Cereals	0	55	45
Oilseeds	2	55	43
Pulse Crops	0	62	38

Most of the region received significant rainfall last week. The Duck Lake area received 100 mm of rain, the Meadow Lake and Rabbit Lake areas 74 mm, the Medstead area 71 mm, the Turtleford area 70 mm, the North Battleford area 64 mm, the Rapid View area 62 mm and the St. Walburg area 59 mm. Since April 1, the Duck Lake area has received the greatest amount of precipitation (150 mm).

Topsoil moisture conditions on cropland are rated as 19 per cent surplus and 81 per cent adequate. Hay land and pasture topsoil moisture is rated as 10 per cent surplus and 90 per cent adequate. CD 9AW and CD 9B are reporting 17 per cent and 20 per cent, respectively, of surplus topsoil moisture in crop land.

Crop damage this week was reported to be primarily from localized flooding of crops. Although some areas are reporting the rain to be beneficial, most areas are wet, and warm and dry weather is needed to complete spraying. Wind and grasshopper damage was reported in some areas. The majority of spring crops are behind for this time of year but for the most part are in good condition.

Farmers are busy controlling weeds, checking crops and hauling grain.

SK (provincial) Crop conditions - June 17, 2013							
	Winter wheat	**Fall rye**	**Spring wheat**	**Durum**	**Oat**	**Barley**	**Flax**
% excellent	9	26	17	18	12	13	10
% good	50	51	68	68	70	69	68
% fair	30	17	13	13	16	15	21
% poor	11	6	2	1	2	3	1
% very poor	0	0	0	0	0	0	0
	Canola	**Mustard**	**Pea**	**Lentil**	**Canaryseed**	**Chickpea**	**Sunflower**
% excellent	14	11	19	17	11	15	0
% good	67	60	67	68	60	57	50
% fair	16	20	13	14	28	28	50
% poor	3	9	1	1	1	0	0
% very poor	0	0	0	0	0	0	0

Southeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	11	6	15	17	8	17	11
% good	52	70	64	71	65	57	65
% fair	30	22	18	10	24	24	22
% poor	7	2	3	2	3	2	2
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	13	7	16	20	16	83	N/A
% good	65	63	73	74	46	12	N/A
% fair	19	29	10	5	36	5	N/A
% poor	3	1	1	1	2	0	N/A
% very poor	0	0	0	0	0	0	N/A

Southwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	8	38	17	19	5	14	12
% good	34	36	66	65	76	74	60
% fair	28	17	16	16	19	11	27
% poor	30	9	1	0	0	1	1
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	7	11	15	18	3	12	0
% good	59	52	61	61	55	58	50
% fair	26	24	23	20	39	30	50
% poor	8	13	1	1	3	0	0
% very poor	0	0	0	0	0	0	0

East-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	2	6	4	3	4	2	1
% good	62	77	80	79	83	83	82
% fair	33	14	15	18	13	15	17
% poor	3	2	1	0	0	0	0
% very poor	0	1	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	3	0	6	3	36	0	N/A
% good	81	93	85	87	59	75	N/A
% fair	16	7	9	10	5	25	N/A
% poor	0	0	0	0	0	0	N/A
% very poor	0	0	0	0	0	0	N/A

West-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	22	36	24	21	31	26	25
% good	73	61	69	73	61	66	68
% fair	5	3	6	6	8	7	7
% poor	0	0	1	0	0	1	0
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	29	17	30	20	8	8	N/A
% good	61	75	64	73	78	92	N/A
% fair	9	8	6	7	14	0	N/A
% poor	1	0	0	0	0	0	N/A
% very poor	0	0	0	0	0	0	N/A

Northeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	0	0	19	37	20	15	0
% good	29	75	55	47	56	57	73
% fair	64	15	19	13	19	18	26
% poor	7	10	7	3	5	10	1
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	16	N/A	25	15	0	N/A	N/A
% good	57	N/A	62	70	62	N/A	N/A
% fair	17	N/A	11	10	38	N/A	N/A
% poor	9	N/A	2	5	0	N/A	N/A
% very poor	1	N/A	0	0	0	N/A	N/A

Northwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	10	5	25	N/A	16	19	23
% good	80	40	64	N/A	68	64	72
% fair	10	55	11	N/A	16	17	5
% poor	0	0	0	N/A	0	0	0
% very poor	0	0	0	N/A	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	25	N/A	21	N/A	N/A	N/A	N/A
% good	64	N/A	66	N/A	N/A	N/A	N/A
% fair	11	N/A	13	N/A	N/A	N/A	N/A
% poor	0	N/A	0	N/A	N/A	N/A	N/A
% very poor	0	N/A	0	N/A	N/A	N/A	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending June 17, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 19, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall

for the week ending June 17, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 19, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 11 to 17, 2013

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	6	144
	3	Enniskillen	4	160
	33	Moose Creek	5	103
	34	Browning	8	94
	61	Antler	N/A	69
	63	Moose Mountain	7	114
	64	Brock	6	84
	65	Tecumseh	28	133
1B	91	Maryfield	9	86
	92	Walpole	N/A	80
	122	Martin	15	168
	123	Silverwood	33	145
	124	Kingsley	9	96
	125 A	Chester	16	108.7
	125 B	Chester	5	92
	151 A	Rocanville	15	133
	151 B	Rocanville	18	124
	153	Willowdale	N/A	N/A
	154	Elcapo	8	117
	155 A	Wolseley	15	99
	155 B	Wolseley	28	109
2A	67	Weyburn	13	169
	68	Brokenshell	11	175
	97	Wellington	8.5	78
	99	Caledonia	N/A	N/A
2B	127 A	Francis	15	80.5
	127 B	Francis	20.3	56.8
	129	Bratt's Lake	6.5	88.5
	131 A	Baildon	66	165
	131 B	Baildon	45	152
	156 A	Indian Head	22.5	71.5
	156 B	Indian Head	45	124
	160 A	Pense	N/A	N/A
	160 B	Pense	37	114.5
	161	Moose Jaw	64	117
	162	Caron	40	107
	191	Marquis	39	68
3ASE	36 A	Launer	N/A	180
	36 B	Launer	10	155
	39 A	The Gap	11	144
	39 B	The Gap	13	176
3ASW	10	Happy Valley	10	134
	11	Hart Butte	N/A	205.3
	12	Poplar Valley	N/A	147
	40 A	Bengough	30	200
	40 B	Bengough	44	219
	42	Willow Bunch	24	159
	43 A	Old Post	29	172
	43 B	Old Post	N/A	N/A
	70	Key West	N/A	84.32
	71	Excel	28	149
	72 A	Lake of the Rivers	N/A	N/A
	72 B	Lake of the Rivers	N/A	NIL
	73 A	Stonehenge	72.4	217.2
	73 B	Stonehenge	68	209
	74 A	Wood River	34	174.5
	74 B	Wood River	N/A	3
	74 C	Wood River	N/A	N/A
3AN	101	Terrell	21	133
	102	Lake Johnston	N/A	54.2
	103 A	Sutton	47	114
	103 B	Sutton	N/A	N/A
	132 A	Hillsborough	24.5	112.5
	132 B	Hillsborough	40	104.3
	134	Shamrock	39	150
	164 A	Chaplin	44	90.5
	164 B	Chaplin	N/A	N/A
	193 A	Eyebrow	9	47
	193 B	Eyebrow	24	80.2
	194	Enfield	N/A	N/A
	224	Maple Bush	21	92.5
3BS	17 A	Val Marie	23	190
	17 B	Val Marie	N/A	N/A
	45	Mankota	28	181.5
	75 A	Pinto Creek	29	129
	75 B	Pinto Creek	35	133
	76	Auvergne	22	116
	77	Wise Creek	7	156
	78 A	Grassy Creek	15	122
	78 B	Grassy Creek	19	160.5
	105	Glenbain	23	137
	106	Whiska Creek	13	107
	107 A	Lac Pelletier	N/A	93
	107 B	Lac Pelletier	N/A	43.5
	108	Bone Creek	16	115
3BN	136 A	Webb	20	111
	136 B	Webb	19	97.4
	166 A	Excelsior	26	106
	166 B	Excelsior	17.6	N/A
	167	Sask. Landing	23	88
	168 A	Riverside	23.9	98
	168 B	Riverside	N/A	125.3
	226 A	Victory	13	49
	226 B	Victory	N/A	30
	228	Lacadena	29	52
	255	Coteau	21	68.9
	257	Monet	10	48.6
4A	19	Frontier	N/A	N/A
	49	White Valley	N/A	91
	51 A	Reno	9.1	113.9
	51 B	Reno	N/A	N/A
	79	Arlington	28	140
	109	Carmichael	N/A	69
	110	Piapot	12	79
	111	Maple Creek	30	84
4B	139	Gull Lake	13	90
	141	Big Stick	16	87
	142	Enterprise	N/A	100
	169	Pittville	27	128
	231	Happyland	30	74
5A	183 A	Fertile Belt	N/A	180.5
	183 B	Fertile Belt	N/A	125
	186	Abernethy	7	62
	211	Churchbridge	11	77
	213	Saltcoats	6	109
	214	Cana	N/A	25
	216	Tullymet	29	97.3
	217 A	Lipton	N/A	N/A
	241	Calder	12	98
	243	Wallace	N/A	90
	245 A	Garry	3	52
	245 B	Garry	7	65
	245 C	Garry	8	48
	246	Ituna Bon Accord	N/A	46
	247	Kellross	22	65
	248	Touchwood	36	63
5B	271	Cote	15	80
	273	Sliding Hills	N/A	51.5
	277	Emerald	N/A	32
	305	Invermay	22	57.5
	307	Elfros	15	65
	308 A	Big Quill	25	51
	308 B	Big Quill	26	74
	331	Livingston	18	123
	333	Clayton	N/A	39
	334	Preeceville	10	68.2
	336	Sasman	N/A	39
	337 A	Lakeview	31.5	86
	337 B	Lakeview	N/A	21.5
	338	Lakeside	47	104
	366	Kelvington	23	81
	367	Ponass Lake	N/A	65.2
6A	190 A	Duffernn	24	76
	190 B	Dufferin	17	82.5
	190 C	Dufferin	43	95
	190 D	Dufferin	N/A	42
	219	Longlaketon	38	66
	220	Mokillop	40	120
	221	Sarnia	47.5	89.1
	222	Craik	N/A	56
	251	Big Arm	39	92
	252	Arm River	36	83
	279	Mount Hope	N/A	45
	282	McCraney	40	104
	309	Prairie Rose	41	106
	310	Usborne	N/A	N/A
	313	Lost River	N/A	N/A
	339	Leroy	55.4	128.7
	340	Wolverine	60	166
	341	Viscount	50	143
	343 A	Blucher	47.5	152.8
	343 B	Blucher	N/A	31.8
6B	283	Rosedale	32.5	100
	284	Rudy	47	106
	285	Fertile Valley	17	72
	286	Milden	15	61
	314	Dundurn	36	131
	344	Corman Park	30	73
	346	Perdue	28	96
	376 A	Eagle Creek	31	94
	376 B	Eagle Creek	40	125
	403 A	Rosthern	74	107
	403 B	Rosthern	N/A	64
7A	259	Snipe Lake	38	78
	260 A	Newcombe	N/A	50
	260 B	Newcombe	N/A	N/A
	261	Chesterfield	13	56
	267	St. Andrews	25	94
	268	Pleasant Valley	23	60
	290 A	Kindersley	7	72.5
	290 B	Kindersley	N/A	50.5
	290 C	Kindersley	22	82.5
	292	Milton	N/A	39
	317 A	Marriott	23	23
	317 B	Marriott	21	108
	317 C	Marriott	N/A	N/A
	318	Mountain View	35	127
	320 A	Oakdale	8	89.9
	320 B	Oakdale	10	52
	321	Prairiedale	23	75
7B	347 A	Biggar	32	116
	347 B	Biggar	34	99.5
	350 A	Manposa	11.7	86.3
	350 B	Manposa	24	82
	351	Progress	48	93
	352	Heart's Hill	44	150
	377	Glenside	40	122
	378 A	Rosemount	22	90
	378 B	Rosemount	40	121
	379	Reford	N/A	46
	381	Grass Lake	N/A	41.1
	382	Eye Hill	50.8	71.8
	409 A	Buffalo	80	134
	409 B	Buffalo	N/A	N/A
	410	Round Valley	54	82
	411	Senlac	N/A	N/A
8A	395	Porcupine	N/A	39
	397	Barrier Valley	33.9	87.7
	428	Star City	52	93
	456	Arborfield	23	67
	457	Connaught	70	121
	458	Willow Creek	75	92
	486	Moose Range	16	70
	487 A	Nipawin	52	91
	487 B	Nipawin	N/A	N/A
8B	369	St. Peter	49	92
	370	Humboldt	40	115
	371	Bayne	66	121
	372	Grant	70.1	126.4
	400 A	Three Lakes	N/A	NIL
	400 B	Three Lakes	66	150
	402	Fish Creek	94	138
	429	Flett's Springs	68	144
	431	St. Louis	N/A	N/A
	459	Kinistino	60	159
	460	Birch Hills	40	97.4
9AE	461	Prince Albert	N/A	22.4
	488	Torch River	72	104
	491	Buckland	N/A	93
9AW	406	Mayfield	31	96
	435	Redberry	37	92
	436	Douglas	52	118
	463	Duck Lake	100	150
	466	Meeting Lake	N/A	N/A
	467 A	Round Hill	66	124
	467 B	Round Hill	74	122
	494	Canwood	N/A	N/A
	496 A	Spiritwood	N/A	N/A
	496 B	Spiritwood	N/A	63.9
	497	Medstead	71	115
9B	438	Battle River	63	98
	440	Hillsdale	51	106
	442	Manitou Lake	39.7	98.6
	498 A	Parkdale	44.5	70
	498 B	Parkdale	49	80
	499 A	Mervin	70	116.4
	499 B	Mervin	N/A	23.5
	501 A	Frenchman Butte	59	122
	501 B	Frenchman Butte	37	83
	501 C	Frenchman Butte	41	92
	502 A	Britannia	N/A	N/A
	502 B	Britannia	45	107.5
	561	Loon Lake	51	95
	588 A	Meadow Lake	50	122
	588 B	Meadow Lake	62	114
	588 C	Meadow Lake	74	125
	588 D	Meadow Lake	40	104
	588 E	Meadow Lake	N/A	N/A
	622	Beaver River	30.5	91.5

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: June 17, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 19, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

June 18, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 19, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

June 18, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: June 19, 2013

© 2013 Government of Saskatchewan